

Dover Senior High School

2019 Youth Risk Behavior Survey Report

Time Trends by Sex and by Grade

Strafford County Public Health Region

Introduction

The 2019 Youth Risk Behavior Survey (YRBS) report presents data which demonstrate the association between health-risk behaviors by sex and grade. We hope this report is useful in understanding high school student behaviors and assists you in developing educational programs, curriculum and communication tools to encourage and support healthy behaviors among students in your communities.

School-level Estimates

The 2019 survey response rate at Dover Senior High School was 82%, meaning 1,144 of 1,400 enrolled students took the survey¹. School-level estimates are unweighted and based on a convenience sample of students in attendance and not opting out of participation in the YRBS on a given date and time during the school year. Results could be less representative if specific classrooms or classroom types were not included in the survey. To account for this and provide risk-behavior estimates for the entire school, we extrapolated survey results using school enrollment data.


State and Regional Estimates

State and regional estimates were calculated from a random sample developed using scientific survey methods. These methods ensure the respondents are representative of students in the region in the state. The results account for student, classroom, school, and regional factors. The random sample is not designed to provide school-level estimates. Note: access to region-level results were first made available in 2015 and are not available prior to that year.

Data that had a representative sample of students, appropriate documentation, and an overall response rate greater than or equal to 60%² were weighted.

This report is produced in a partnership with the NH Department of Education and the NH Department of Health and Human Services.

Responses by Sex and Grade*



*Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

¹Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

²Overall response rate is computed as (number of participating schools/number of eligible sampled schools) X (number of usable questionnaires/number of eligible students sampled in participating schools), rounded to the nearest integer.

Regional Public Health Network Substance Misuse Prevention Coordinators are available to assist schools in coordinating community projects that promote healthy behaviors and educate school officials and stakeholders. Coordinators may also assist schools in obtaining school and community grant funding.

Your contact is:

Strafford County Public Health Region: Cora Long;
Phone: 603-516-2564; email: clong@goodwinch.org

Help and assistance

Questions on this report

Health Statistics and Data Management
Division of Public Health Services - State of NH
NH.YouthRiskBehaviorSurvey@dhhs.nh.gov; (603) 271-4988;

Additional technical assistance for YRBS related information

NH Center for Excellence
nhcenterforexcellence@jsi.com; (603) 573-3300
<http://nhcenterforexcellence.org/center-services/request-ta/>

Notes

You may find very small discrepancies between the 2017 estimates reported in this report and the results reported two years ago. The differences are caused by an improved data cleaning routine in the new survey. The results from this 2019 analysis and reports should be used if you find any discrepancies.

Change Log




v1.0: Final report released February 14th, 2020.

Category: Drug Use - Behaviors
 Number and Percent of students who tried marijuana for the first time before age 13 years

School
 4.7%
 66 of 1,378 students*

Region
 5.2%
 226 of 4,351 students+

NH
 4.7%
 2,548 of 54,393 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	114	7.7	-	-	4,775	7.7
2013	130	9.6	-	-	3,858	6.6
2015	96	7.4	363	8.1	3,511	6.1
2017	59	4.5	315	7.2	2,929	5.3
2019	66	4.7	226	5.2	2,548	4.7
Sex						
Female	26	3.7	85	4.0	876	3.4
Male	40	5.9	135	6.2	1,596	5.7
Grade						
09th	20	4.6	77	6.9	810	5.7
10th	15	4.5	32	2.9	591	4.3
11th	10	3.1	45	4.2	570	4.4
12th	19	6.1	64	6.2	450	3.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: How old were you when you tried marijuana for the first time?
 a: I have never tried marijuana; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old; e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;
 Numerator: bcd; denominator: abcdefg;
 Question number: 2019q44; 2017q44; 2015q42; 2013q46; 2011q40;

Category: Drug Use - Behaviors
 Number and Percent of students who currently used marijuana (one or more times) during the past 30 days



School
 28.7%
 402 of 1,379 students*

Region
 26.7%
 1,165 of 4,356 students+

NH
 26.1%
 14,167 of 54,358 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	426	28.6	-	-	17,622	28.4
2013	371	27.3	-	-	14,331	24.4
2015	293	22.5	1,070	23.8	12,663	22.2
2017	302	23.1	1,162	26.7	12,659	23.1
2019	402	28.7	1,165	26.7	14,167	26.1
Sex						
Female	204	28.4	548	25.5	6,618	25.4
Male	196	29.2	601	27.7	7,308	26.3
Grade						
09th	71	16.4	201	18.2	2,362	16.7
10th	81	24.5	270	24.3	3,322	24.0
11th	122	37.7	333	30.7	3,895	29.8
12th	122	39.8	344	33.4	4,301	33.9



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you use marijuana?
 a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;
 Numerator: bcdef; denominator: abcdef;
 Question number: 2019q45; 2017q45; 2015q43; 2013q47; 2011q41;

Category: Drug Use - Behaviors
 Number and Percent of students who ever used synthetic marijuana (also called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk) one or more times during their life

School
 9.5%
 132 of 1,320 students*

Region
 9.9%
 433 of 4,373 students+

NH
 8.6%
 4,604 of 53,723 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	189	13.9	-	-	8,097	13.8
2015	113	8.7	457	10.1	5,179	9.2
2017	69	5.3	292	6.7	3,071	5.6
2019	132	9.5	433	9.9	4,604	8.6
Sex						
Female	61	8.5	185	8.6	2,109	8.2
Male	70	10.4	240	11.0	2,396	8.7
Grade						
09th	21	4.7	87	7.8	918	6.6
10th	27	8.0	98	8.8	1,078	7.9
11th	31	10.0	82	7.5	1,144	8.9
12th	49	16.7	156	15.1	1,314	10.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used synthetic marijuana (also called Spice, fake weed, K2, King Kong, Yucatan Fire, or Skunk)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdefg;

Question number: 2019q46; 2017q49; 2015q50; 2013q48; 2011q999;

Category: Drug Use - Behaviors
 Number and Percent of students who ever used heroin (also called smack, junk, or China White) one or more times during their life

School	Region	NH
1.5%	1.4%	1.5%
21 of 1,298 students*	63 of 4,384 students+	801 of 54,649 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	51	3.4	-	-	2,216	3.6
2013	56	4.1	-	-	1,590	2.7
2015	50	3.8	137	3.0	1,387	2.4
2017	27	2.1	111	2.5	999	1.8
2019	21	1.5	63	1.4	801	1.5

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	8	1.1	21	1.0	184	0.7
Male	13	2.0	36	1.6	569	2.0

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	s	s	15	1.4	150	1.1
10th	s	s	5	0.4	154	1.1
11th	7	2.1	11	1.0	197	1.5
12th	8	2.7	19	1.9	199	1.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used heroin (also called smack, junk, or China White)?


a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q47; 2017q46; 2015q47; 2013q51; 2011q50;

Category: Drug Use - Behaviors
 Number and Percent of students who ever used methamphetamines (also called speed, crystal meth, crank, ice, or meth) one or more times during their life

School	Region	NH
2.4%	2.2%	1.7%
33 of 1,298 students*	96 of 4,382 students+	954 of 54,627 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	73	4.9	-	-	2,627	4.2
2013	71	5.2	-	-	1,677	2.9
2015	50	3.8	147	3.2	1,415	2.5
2017	28	2.2	91	2.1	994	1.8
2019	33	2.4	96	2.2	954	1.7
Sex						
Female	13	1.8	32	1.5	257	1.0
Male	20	2.9	58	2.7	658	2.4
Grade						
09th	s	s	31	2.8	189	1.3
10th	s	s	10	0.9	148	1.1
11th	12	3.8	14	1.3	239	1.8
12th	13	4.5	29	2.7	276	2.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 2019q48; 2017q47; 2015q48; 2013q52; 2011q51;

Category: Drug Use - Behaviors
 Number and Percent of students who ever used ecstasy (also called MDMA) one or more times during their life

School	Region	NH
3.0%	2.5%	2.4%
42 of 1,309 students*	111 of 4,383 students+	1,308 of 53,861 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	163	11.0	-	-	5,425	8.7
2013	135	9.9	-	-	4,329	7.4
2015	82	6.3	241	5.3	2,544	4.5
2017	53	4.0	208	4.7	1,652	3.0
2019	42	3.0	111	2.5	1,308	2.4
Sex						
Female	13	1.8	42	1.9	407	1.6
Male	27	4.1	64	2.9	833	3.0
Grade						
09th	s	s	34	3.0	228	1.6
10th	s	s	8	0.7	232	1.7
11th	13	4.2	20	1.9	348	2.7
12th	14	4.9	37	3.6	401	3.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.


s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used ecstasy (also called MDMA)?
 a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;
 Numerator: bcdef; denominator: abcdef;
 Question number: 2019q49; 2017q48; 2015q49; 2013q53; 2011q52;



Category: Drug Use - Behaviors

Number and Percent of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) one or more times during their life

School 10.4% 146 of 1,385 students*	Region 10.2% 442 of 4,346 students+	NH 10.0% 5,364 of 53,449 students+
--	--	---



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	332	22.4	-	-	12,936	20.8
2013	278	20.4	-	-	9,725	16.5
2015	250	19.2	777	17.2	7,591	13.4
2017	169	12.9	537	12.4	6,223	11.5
2019	146	10.4	442	10.2	5,364	10.0
Sex						
Female	72	10.0	180	8.4	2,269	8.9
Male	72	10.6	250	11.5	2,968	10.9
Grade						
09th	31	7.2	130	11.7	1,158	8.3
10th	30	9.0	79	7.2	1,218	9.0
11th	33	10.3	89	8.3	1,299	10.1
12th	48	15.8	133	13.0	1,523	12.2



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;


Numerator: bcdef; denominator: abcdef;

Question number: 2019q50; 2017q50; 2015q51; 2013q54; 2011q45;



Category: Drug Use - Behaviors

Number and Percent of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times) during the past 30 days

School 4.9% 68 of 1,387 students*	Region 5.2% 228 of 4,346 students+	NH 4.3% 2,288 of 53,407 students+
--	---	--



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	169	11.4	-	-	7,187	11.5
2013	152	11.2	-	-	4,495	7.6
2015	131	10.0	415	9.2	3,840	6.8
2017	96	7.3	241	5.5	2,802	5.2
2019	68	4.9	228	5.2	2,288	4.3
Sex						
Female	27	3.8	80	3.8	860	3.4
Male	40	5.9	138	6.4	1,356	5.0
Grade						
09th	16	3.7	76	6.8	580	4.2
10th	19	5.6	42	3.9	547	4.0
11th	14	4.2	46	4.3	546	4.3
12th	17	5.7	58	5.7	513	4.1



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times; b: 1 or 2 times; c: 3 to 9 times; d: 10 to 19 times; e: 20 to 39 times; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;


Question number: 2019q51; 2017q51; 2015q52; 2013q55; 2011q46;

Category: Drug Use - Behaviors
 Number and Percent of students who were offered, sold, or given an illegal drug on school property during the past 12 months



School
 22.5%
 315 of 1,382 students*

Region
 18.3%
 795 of 4,345 students+

NH
 20.3%
 11,070 of 54,531 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	370	24.9	-	-	14,378	23.1
2013	313	23.0	-	-	11,779	20.1
2015	217	16.7	821	18.2	9,470	16.5
2017	217	16.6	809	18.5	8,956	16.3
2019	315	22.5	795	18.3	11,070	20.3
Sex						
Female	162	22.6	405	18.8	4,956	19.0
Male	151	22.5	378	17.6	5,934	21.3
Grade						
09th	88	20.3	214	19.2	2,787	19.6
10th	83	25.2	206	18.7	2,874	20.8
11th	88	27.3	191	17.8	2,917	22.3
12th	51	16.7	171	16.7	2,296	18.0



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2019q52; 2017q52; 2015q53; 2013q56; 2011q54;

Category: Drug Use - Perceptions
 Number and Percent of students who recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs during the past 12 months



School
 65.1%
 912 of 1,387 students*

Region
 66.6%
 2,914 of 4,377 students+

NH
 70.2%
 37,778 of 53,788 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	857	63.0	-	-	39,043	66.9
2015	997	76.6	3,431	76.8	44,698	79.6
2017	823	62.7	2,781	63.6	37,151	68.6
2019	912	65.1	2,914	66.6	37,778	70.2
Sex						
Female	486	67.9	1,504	69.8	18,583	72.4
Male	420	62.3	1,387	63.4	18,839	68.5
Grade						
09th	277	63.8	753	67.1	9,566	68.3
10th	224	67.8	714	64.5	9,660	70.9
11th	224	69.6	753	69.2	9,454	73.2
12th	183	59.9	682	66.0	8,743	69.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, do you recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs?

a: Yes; b: No; c: Not sure;

Numerator: a; denominator: abc;

Question number: 2019q53; 2017q53; 2015q78; 2013q99; 2011q999;

Category: Drug Use - Perceptions
 Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they use marijuana once or twice a week

School	Region	NH
10.9%	9.3%	10.3%
152 of 1,352 students*	401 of 4,297 students+	5,440 of 52,767 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	301	22.1	-	-	12,678	21.7
2015	270	20.7	795	17.8	10,245	18.3
2017	217	16.6	644	15.0	8,561	16.1
2019	152	10.9	401	9.3	5,440	10.3
Sex						
Female	76	10.5	228	10.7	2,746	10.9
Male	76	11.4	167	7.8	2,645	9.8
Grade						
09th	70	16.4	122	11.3	1,851	13.5
10th	34	10.3	114	10.3	1,397	10.5
11th	30	9.4	89	8.3	1,156	9.1
12th	16	5.3	71	6.9	974	7.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they use marijuana once or twice a week?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;
 Numerator: d; denominator: abcd;
 Question number: 2019q89; 2017q86; 2015q85; 2013q83; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)



School 58.9% 825 of 1,352 students*	Region 56.1% 2,408 of 4,292 students+	NH 56.7% 29,879 of 52,672 students+
--	--	--



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	904	60.8	-	-	37,816	60.9
2013	810	59.6	-	-	36,841	63.0
2015	771	59.2	2,719	60.8	35,154	62.8
2017	822	62.7	2,766	64.5	33,668	63.2
2019	825	58.9	2,408	56.1	29,879	56.7

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	451	62.3	1,262	59.4	15,534	61.5
Male	367	55.1	1,129	52.9	14,027	52.3

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	253	59.7	568	52.7	7,016	51.4
10th	185	55.3	610	55.7	7,386	55.4
11th	213	65.9	621	57.9	7,473	59.0
12th	169	54.7	605	59.2	7,693	62.1



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;

Numerator: d; denominator: abcd;


Question number: 2019q90; 2017q87; 2015q86; 2013q84; 2011q85;

Category: Drug Use - Perceptions
 Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke marijuana

School
 37.9%
 530 of 1,357 students*

Region
 36.6%
 1,573 of 4,301 students+

NH
 37.7%
 19,939 of 52,823 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	505	37.2	-	-	23,934	41.0
2015	594	45.6	1,938	43.4	24,023	42.9
2017	507	38.6	1,493	34.6	19,913	37.3
2019	530	37.9	1,573	36.6	19,939	37.7
Sex						
Female	288	39.8	871	40.9	10,173	40.2
Male	239	35.8	689	32.3	9,620	35.7
Grade						
09th	227	53.3	539	49.4	7,105	51.8
10th	138	41.1	457	41.5	5,320	39.8
11th	97	30.1	309	28.9	4,075	32.0
12th	66	21.5	257	25.3	3,247	26.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.




s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to smoke marijuana?
 a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;
 Numerator: ab; denominator: abcde;
 Question number: 2019q92; 2017q90; 2015q89; 2013q87; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School 84.9% 1,189 of 1,356 students*	Region 83.7% 3,593 of 4,292 students+	NH 83.6% 44,144 of 52,797 students+
--	--	--



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	985	72.4	-	-	45,392	77.7
2015	1,022	78.5	3,545	79.4	45,635	81.4
2017	1,074	81.9	3,541	82.2	42,891	80.5
2019	1,189	84.9	3,593	83.7	44,144	83.6
Sex						
Female	633	87.4	1,883	88.7	22,169	87.6
Male	548	82.4	1,683	78.9	21,601	80.3
Grade						
09th	360	84.3	875	80.3	11,431	83.4
10th	291	87.1	928	84.6	11,290	84.5
11th	274	84.8	945	88.6	10,673	84.0
12th	258	84.3	828	81.8	10,317	83.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;




Question number: 2019q93; 2017q91; 2015q90; 2013q88; 2011q999;

Category: Drug Use - Perceptions
 Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to smoke marijuana

School
 77.9%
 1,090 of 1,355 students*

Region
 76.0%
 3,272 of 4,308 students+

NH
 78.5%
 41,521 of 52,885 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	1,106	81.3	-	-	48,011	82.4
2015	1,095	84.1	3,651	81.4	46,552	83.0
2017	1,018	77.6	3,244	75.3	42,017	78.8
2019	1,090	77.9	3,272	76.0	41,521	78.5

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	568	78.5	1,644	77.1	20,382	80.4
Male	517	77.6	1,612	75.3	20,751	77.1

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	371	86.9	911	83.4	11,619	84.6
10th	272	81.1	889	80.9	10,871	81.2
11th	254	78.8	808	75.2	9,864	77.6
12th	190	62.0	654	64.3	8,736	70.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to smoke marijuana?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;




Numerator: ab; denominator: abcde;

Question number: 2019q96; 2017q94; 2015q93; 2013q91; 2011q999;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School	Region	NH
95.6%	96.3%	95.5%
1,338 of 1,357 students*	4,145 of 4,306 students+	50,492 of 52,881 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	1,375	92.5	-	-	57,568	93.3
2013	1,251	92.0	-	-	55,041	94.1
2015	1,232	94.6	4,219	94.3	53,132	94.9
2017	1,239	94.4	4,020	93.4	50,208	94.2
2019	1,338	95.6	4,145	96.3	50,492	95.5
Sex						
Female	698	96.5	2,083	97.8	24,544	96.8
Male	630	94.5	2,032	94.9	25,452	94.5
Grade						
09th	412	96.4	1,048	96.2	13,101	95.3
10th	321	95.8	1,075	97.8	12,801	95.7
11th	312	96.5	1,030	95.8	12,197	95.9
12th	287	93.8	976	96.0	11,883	95.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;


Question number: 2019q97; 2017q95; 2015q94; 2013q92; 2011q95;

Category: Drug Use - Perceptions
 Number and Percent of students who think it would be very easy for them to get some marijuana if they wanted to



School
 39.8%
 557 of 1,358 students*

Region
 40.9%
 1,749 of 4,275 students+

NH
 39.0%
 20,510 of 52,654 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	756	50.9	-	-	29,322	47.7
2013	614	45.1	-	-	27,271	47.1
2015	523	40.2	2,003	44.9	23,199	41.6
2017	566	43.2	1,964	45.8	21,919	41.4
2019	557	39.8	1,749	40.9	20,510	39.0
Sex						
Female	275	38.0	810	38.6	9,374	37.2
Male	279	41.7	928	43.3	10,833	40.3
Grade						
09th	105	24.7	299	27.6	3,461	25.4
10th	105	31.4	355	32.5	4,687	35.2
11th	155	47.7	499	46.4	5,741	45.3
12th	184	59.8	583	58.0	6,269	50.6



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some marijuana, how hard or easy would it be for you to get some?
 a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;
 Numerator: d; denominator: abcd;
 Question number: 2019q99; 2017q98; 2015q98; 2013q96; 2011q98;


Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some prescription drug without a doctor's prescription if they wanted to (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)



School
11.3%
 159 of 1,361 students*

Region
11.4%
 487 of 4,267 students+

NH
10.0%
 5,265 of 52,573 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	382	25.7	-	-	11,770	19.2
2013	295	21.7	-	-	9,899	17.1
2015	270	20.8	777	17.4	8,164	14.7
2017	248	18.9	615	14.3	7,141	13.5
2019	159	11.3	487	11.4	5,265	10.0
Sex						
Female	72	9.9	183	8.7	2,181	8.7
Male	86	12.8	298	13.9	2,987	11.1
Grade						
09th	37	8.6	106	9.8	1,227	9.0
10th	23	6.8	97	8.9	1,200	9.0
11th	49	15.1	122	11.4	1,362	10.7
12th	48	15.6	157	15.6	1,343	10.9



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription, how hard or easy would it be for you to get some?

a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;




Numerator: d; denominator: abcd;

Question number: 2019q100; 2017q99; 2015q99; 2013q98; 2011q99;

Category: Alcohol Use - Behaviors

Number and Percent of students who drove a car or other vehicle when they had been drinking alcohol (one or more times, among students who had driven a car or other vehicle) during the past 30 days

School 4.9% 41 of 799 students*	Region 5.7% 141 of 2,492 students+	NH 4.7% 1,586 of 33,581 students+
--	---	--



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	95	11.7	-	-	2,989	8.4
2015	73	9.9	182	7.1	2,164	6.3
2017	37	4.6	113	4.4	1,948	5.8
2019	41	4.9	141	5.7	1,586	4.7
Sex						
Female	10	2.4	39	3.2	587	3.6
Male	31	7.7	89	7.2	945	5.5
Grade						
09th	s	s	8	4.4	112	4.3
10th	s	s	17	2.5	208	2.2
11th	8	2.9	41	5.0	528	5.0
12th	25	9.5	71	8.8	655	6.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

a: I did not drive a car or other vehicle during the past 30 days; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;




Question number: 2019q13; 2017q13; 2015q13; 2013q13; 2011q999;

Category: Alcohol Use - Behaviors
 Number and Percent of students who had their first drink of alcohol before age 13 years (other than a few sips)

School
 10.6%
 149 of 1,372 students*

Region
 11.5%
 494 of 4,301 students+

NH
 10.4%
 5,601 of 53,820 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	219	14.7	-	-	8,929	14.3
2013	182	13.4	-	-	6,984	11.9
2015	130	10.0	499	11.1	6,155	10.8
2017	136	10.4	510	11.7	5,826	10.7
2019	149	10.6	494	11.5	5,601	10.4
Sex						
Female	67	9.5	213	10.1	2,270	8.8
Male	80	11.8	272	12.6	3,218	11.7
Grade						
09th	51	11.9	178	15.9	1,807	13.0
10th	40	12.2	100	9.2	1,388	10.2
11th	22	6.9	104	9.7	1,267	9.8
12th	34	10.9	103	10.3	972	7.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How old were you when you had your first drink of alcohol other than a few sips?
 a: I have never had a drink of alcohol other than a few sips; b: 8 years old or younger; c: 9 or 10 years old; d: 11 or 12 years old;
 e: 13 or 14 years old; f: 15 or 16 years old; g: 17 years old or older;
 Numerator: bcd; denominator: abcdefg;
 Question number: 2019q40; 2017q40; 2015q38; 2013q40; 2011q34;

Category: Alcohol Use - Behaviors
 Number and Percent of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day) during the past 30 days

School
 22.4%
 314 of 1,349 students*

Region
 26.8%
 1,134 of 4,232 students+

NH
 26.8%
 14,083 of 52,478 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	548	36.8	-	-	22,551	38.4
2013	483	35.5	-	-	18,043	32.9
2015	375	28.8	1,306	30.0	16,562	29.9
2017	352	26.8	1,197	28.3	15,841	29.6
2019	314	22.4	1,134	26.8	14,083	26.8

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	170	23.8	560	27.1	7,247	29.0
Male	141	20.8	556	26.1	6,644	24.7

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	60	13.7	201	18.5	2,125	15.4
10th	55	16.6	230	21.1	3,043	23.0
11th	70	21.8	281	27.1	3,835	30.4
12th	123	40.1	408	41.3	4,815	39.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.


s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have at least one drink of alcohol?
 a: 0 days; b: 1 or 2 days; c: 3 to 5 days; d: 6 to 9 days; e: 10 to 19 days; f: 20 to 29 days; g: All 30 days;
 Numerator: bcdefg; denominator: abcdefg;
 Question number: 2019q41; 2017q41; 2015q39; 2013q41; 2011q35;

Category: Alcohol Use - Behaviors

Number and Percent of students who currently were binge drinking (had 4 or more drinks of alcohol in a row for female students or 5 or more drinks of alcohol in a row for male students, on at least 1 day) during the past 30 days

School 12.1% 169 of 1,376 students*	Region 13.8% 601 of 4,339 students+	NH 14.4% 7,813 of 54,080 students+
--	--	---



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	169	12.1	601	13.8	7,813	14.4
Sex						
Female	73	10.2	270	12.7	3,844	14.8
Male	93	13.9	316	14.5	3,819	13.8
Grade						
09th	17	4.0	90	8.1	938	6.6
10th	27	8.3	103	9.3	1,434	10.4
11th	39	12.0	127	11.7	2,185	16.8
12th	81	26.4	270	26.5	3,065	24.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?


a: 0 days; b: 1 day; c: 2 days; d: 3 to 5 days; e: 6 to 9 days; f: 10 to 19 days; g: 20 or more days;
 Numerator: BCDEFG; denominator: ABCDEFG;
 Question number: 2019q42; 2017q999; 2015q999; 2013q999; 2011q999;

Category: Alcohol Use - Behaviors
 Number and Percent of students who usually got the alcohol they drank by someone giving it to them
 (among students who currently drank alcohol) during the past 30 days



School
 35.0%
 109 of 297 students*

Region
 36.8%
 404 of 1,098 students+

NH
 35.9%
 4,795 of 13,354 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	150	27.5	-	-	7,314	33.0
2013	146	30.1	-	-	7,145	40.3
2015	141	37.7	504	39.4	6,860	42.3
2017	133	38.4	473	40.3	6,178	40.1
2019	109	35.0	404	36.8	4,795	35.9
Sex						
Female	74	43.9	260	47.4	2,967	43.1
Male	35	24.8	137	25.9	1,776	28.3
Grade						
09th	22	38.6	76	40.3	643	32.0
10th	20	37.2	83	37.1	1,065	36.7
11th	31	43.6	109	39.2	1,277	35.4
12th	36	29.2	137	34.4	1,760	38.4



Notes




*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how did you usually get the alcohol you drank?
 a: I did not drink alcohol during the past 30 days; b: I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station; c: I bought it at a restaurant, bar, or club; d: I bought it at a public event such as a concert or sporting event; e: I gave someone else money to buy it for me; f: Someone gave it to me; g: I took it from a store or family member; h: I got it some other way;
 Numerator: f; denominator: bcdefgh;
 Question number: 2019q43; 2017q43; 2015q41; 2013q44; 2011q37;

Category: Alcohol Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they have five or more drinks of alcohol once or twice a week (beer, wine, or liquor)

School 30.2% 423 of 1,356 students*	Region 28.0% 1,200 of 4,286 students+	NH 27.3% 14,401 of 52,781 students+
--	--	--



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	460	33.8	-	-	21,369	36.5
2015	498	38.2	1,831	40.9	22,940	40.9
2017	491	37.4	1,508	35.2	19,448	36.5
2019	423	30.2	1,200	28.0	14,401	27.3
Sex						
Female	250	34.6	682	32.2	7,837	31.0
Male	172	25.8	509	23.9	6,420	23.9
Grade						
09th	100	23.4	242	22.4	3,300	24.1
10th	115	34.5	348	31.7	3,908	29.2
11th	129	39.8	322	30.2	3,689	29.1
12th	77	25.1	279	27.4	3,350	27.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week?

a: No risk; b: Slight risk; c: Moderate risk; d: Great risk;


Numerator: d; denominator: abcd;

Question number: 2019q88; 2017q85; 2015q84; 2013q82; 2011q999;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine, or liquor)



School	Region	NH
71.5%	66.2%	65.4%
1,002 of 1,355 students*	2,846 of 4,301 students+	34,538 of 52,808 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	642	47.2	-	-	31,119	53.3
2015	771	59.2	2,557	57.2	31,928	57.1
2017	834	63.6	2,481	58.0	30,264	56.7
2019	1,002	71.5	2,846	66.2	34,538	65.4

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	549	76.0	1,560	73.3	18,238	72.0
Male	449	67.2	1,272	59.6	15,979	59.4

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	319	74.6	758	69.5	9,375	68.3
10th	257	76.6	752	68.4	8,868	66.5
11th	236	73.3	656	61.6	8,213	64.8
12th	185	60.6	667	65.3	7,747	62.4



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?


a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 2019q91; 2017q89; 2015q88; 2013q86; 2011q999;

Category: Alcohol Use - Perceptions
 Number and Percent of students who approve or strongly approve of someone their age having one or two drinks of alcohol nearly every day (beer, wine, or liquor)

School	Region	NH
4.2%	5.4%	5.0%
58 of 1,356 students*	234 of 4,297 students+	2,658 of 52,809 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	113	8.3	-	-	4,225	7.3
2015	112	8.6	403	9.0	4,554	8.1
2017	76	5.8	278	6.5	3,341	6.3
2019	58	4.2	234	5.4	2,658	5.0
Sex						
Female	19	2.6	49	2.3	770	3.0
Male	38	5.7	175	8.2	1,828	6.8
Grade						
09th	10	2.4	49	4.5	633	4.6
10th	9	2.6	46	4.2	568	4.2
11th	13	3.9	71	6.6	631	5.0
12th	27	8.6	62	6.1	700	5.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How do you feel about someone your age having one or two drinks of alcohol (beer, wine, or liquor) nearly every day?

a: Strongly approve; b: Approve; c: Neither approve nor disapprove; d: Disapprove; e: Strongly disapprove;
 Numerator: ab; denominator: abcde;
 Question number: 2019q94; 2017q92; 2015q95; 2013q93; 2011q999;




Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine or liquor)

School
91.9%
1,286 of 1,356 students*

Region
91.1%
3,919 of 4,304 students+

NH
90.9%
48,037 of 52,824 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	1,186	87.2	-	-	51,812	88.7
2015	1,174	90.2	3,943	88.1	50,109	89.3
2017	1,190	90.7	3,822	88.8	47,508	89.1
2019	1,286	91.9	3,919	91.1	48,037	90.9
Sex						
Female	680	94.1	1,980	92.9	23,548	93.0
Male	599	89.8	1,913	89.5	24,029	89.3
Grade						
09th	399	93.8	1,027	94.0	12,590	91.7
10th	310	92.5	1,021	92.8	12,356	92.5
11th	306	94.5	975	90.7	11,625	91.4
12th	264	86.4	880	86.9	10,990	88.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;


Question number: 2019q95; 2017q93; 2015q92; 2013q90; 2011q999;

Category: Alcohol Use - Perceptions
 Number and Percent of students who think it would be very easy for them to get some alcohol if they wanted to (beer, wine, or liquor)



School
 30.8%
 431 of 1,361 students*

Region
 31.2%
 1,336 of 4,284 students+

NH
 31.6%
 16,631 of 52,687 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	713	47.9	-	-	26,137	42.5
2013	641	47.1	-	-	24,146	41.5
2015	540	41.5	1,725	38.7	20,990	37.6
2017	551	42.0	1,675	39.0	20,593	38.9
2019	431	30.8	1,336	31.2	16,631	31.6
Sex						
Female	210	29.0	575	27.3	7,574	30.1
Male	218	32.6	751	34.9	8,818	32.7
Grade						
09th	89	21.1	256	23.6	3,358	24.6
10th	84	25.3	275	25.2	3,597	27.0
11th	106	32.6	385	35.8	4,456	35.1
12th	145	47.1	410	40.6	4,958	40.0



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some alcohol (beer, wine, or liquor) how hard or easy would it be for you to get some?


a: Very hard; b: Sort of hard; c: Sort of easy; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 2019q98; 2017q97; 2015q97; 2013q95; 2011q97;

Category: Sexual and Dating Violence
 Number and Percent of students who were ever physically forced to have sexual intercourse when they did not want to

School	Region	NH
7.5%	8.0%	6.7%
105 of 1,388 students*	347 of 4,366 students+	3,618 of 53,715 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	81	5.5	-	-	3,809	6.1
2013	101	7.5	-	-	3,333	5.7
2015	93	7.1	292	6.5	3,610	6.3
2017	88	6.7	288	6.6	3,176	5.8
2019	105	7.5	347	8.0	3,618	6.7

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	81	11.4	277	12.9	2,697	10.6
Male	21	3.1	57	2.6	819	3.0

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	16	3.7	57	5.1	580	4.1
10th	20	6.0	81	7.2	726	5.3
11th	38	11.9	96	8.9	1,002	7.8
12th	27	8.9	102	9.9	1,185	9.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.


s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever been physically forced to have sexual intercourse when you did not want to?



a: Yes; b: No;
 Numerator: a; denominator: ab;
 Question number: 2019q20; 2017q20; 2015q18; 2013q18; 2011q20;

Category: Sexual and Dating Violence
 Number and Percent of students who experienced sexual violence (being forced by anyone to do sexual things that they did not want to, one or more times) during the past 12 months

School	Region	NH
10.5%	9.5%	10.1%
146 of 1,358 students*	405 of 4,269 students+	5,309 of 52,695 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	139	10.6	413	9.6	5,044	9.5
2019	146	10.5	405	9.5	5,309	10.1
Sex						
Female	117	16.5	320	15.5	4,156	16.7
Male	28	4.1	67	3.1	1,054	3.9
Grade						
09th	38	8.7	68	6.2	1,131	8.2
10th	35	10.6	101	9.4	1,279	9.6
11th	40	12.6	132	12.5	1,378	10.9
12th	30	9.9	99	9.6	1,395	11.3



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)
 a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;
 Numerator: bcde; denominator: abcde;
 Question number: 2019q21; 2017q21; 2015q999; 2013q999; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who experienced sexual dating violence (one or more times, among students who dated or went out with someone during the past 12 months)

School	Region	NH
8.6%	7.8%	7.8%
75 of 837 students*	218 of 2,783 students+	2,612 of 33,485 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	93	9.6	-	-	4,154	10.2
2015	110	12.6	351	11.4	4,324	11.7
2017	69	7.9	197	6.8	2,476	7.3
2019	75	8.6	218	7.8	2,612	7.8
Sex						
Female	63	13.9	162	11.6	2,007	12.3
Male	11	2.8	45	3.3	545	3.2
Grade						
09th	17	7.4	33	5.2	486	6.6
10th	19	9.6	41	6.3	598	7.3
11th	24	11.0	78	10.9	680	8.1
12th	13	5.7	61	7.9	764	8.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)


a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bdef;

Question number: 2019q22; 2017q22; 2015q19; 2013q20; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who experienced physical dating violence (one or more times, among students who dated or went out with someone) during the past 12 months

School	Region	NH
7.5%	8.7%	7.0%
66 of 866 students*	250 of 2,886 students+	2,443 of 35,022 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	-	-	-	-	-	-
2013	84	8.7	-	-	3,018	7.4
2015	85	9.8	233	7.6	2,939	7.8
2017	49	5.6	263	8.8	2,778	7.9
2019	66	7.5	250	8.7	2,443	7.0
Sex						
Female	40	8.7	150	10.2	1,266	7.3
Male	25	6.0	93	6.7	1,092	6.3
Grade						
09th	20	8.9	48	7.3	457	5.9
10th	14	6.8	50	7.2	531	6.2
11th	20	8.9	64	8.6	661	7.5
12th	10	4.4	86	10.8	726	7.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q23; 2017q23; 2015q21; 2013q19; 2011q999;


Category: Sexual and Dating Violence

Number and Percent of students who reported someone they were dating or going out with purposely tried to control them or emotionally hurt them one or more times (among students who dated or went out with someone) during the past 12 months



School
28.3%
254 of 890 students*

Region
30.3%
871 of 2,877 students+

NH
26.5%
9,333 of 35,165 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	217	24.6	749	24.9	8,871	25.5
2019	254	28.3	871	30.3	9,333	26.5
Sex						
Female	158	33.9	545	36.8	5,842	33.7
Male	93	21.9	314	22.9	3,370	19.3
Grade						
09th	65	29.0	188	28.9	2,002	25.4
10th	64	31.5	228	32.6	2,352	27.3
11th	68	29.9	221	30.1	2,338	26.7
12th	53	22.6	225	28.8	2,516	26.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? (Count such things as being told who you could and could not spend time with, being humiliated in front of others, or being threatened if you did not do what they wanted.)




a: I did not date or go out with anyone during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 2019q24; 2017q24; 2015q999; 2013q999; 2011q999;

Category: Sexual and Dating Violence
 Number and Percent of students who have experienced an unwanted sexual advance because of another student's drinking (one or more times) during the past 12 months

School	Region	NH
4.6%	4.5%	4.9%
64 of 1,387 students*	197 of 4,352 students+	2,614 of 53,604 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	86	6.3	-	-	3,982	6.8
2015	64	4.9	219	4.8	3,131	5.5
2017	-	-	-	-	-	-
2019	64	4.6	197	4.5	2,614	4.9
Sex						
Female	42	5.9	108	5.1	1,677	6.6
Male	22	3.3	82	3.8	863	3.1
Grade						
09th	11	2.6	31	2.8	337	2.4
10th	10	3.0	39	3.5	500	3.7
11th	20	6.2	44	4.1	726	5.6
12th	21	6.9	80	7.7	950	7.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times have you experienced an unwanted sexual advance because of another student's drinking?
 a: I did not experience an unwanted sexual advance during the past 12 months; b: 0 times; c: 1 time; d: 2 or 3 times; e: 4 or 5 times; f: 6 or more times;
 Numerator: cdef; denominator: abcdef;
 Question number: 2019q25; 2017q999; 2015q20; 2013q21; 2011q999;


Category: Sexual and Dating Violence

Number and Percent of students who forced someone they were dating or going out with to do sexual things that they did not want to do (among students who dated or went out with someone) during the past 12 months



School
2.1%
19 of 885 students*

Region
1.7%
50 of 2,868 students+

NH
1.5%
536 of 34,706 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	26	3.0	61	2.0	769	2.2
2019	19	2.1	50	1.7	536	1.5
Sex						
Female	7	1.6	21	1.4	149	0.9
Male	11	2.7	26	1.9	356	2.1
Grade						
09th	s	s	6	1.0	142	1.8
10th	s	s	15	2.1	124	1.5
11th	s	s	14	1.9	108	1.3
12th	7	3.2	12	1.5	128	1.4



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever force someone you were dating or going out with to do sexual things that they did not want to do? (Count such things as kissing, touching, or physically forcing them to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months; b: Yes; c: No;

Numerator: b; denominator: bc;


Question number: 2019q26; 2017q25; 2015q999; 2013q999; 2011q999;

Category: Sexual Risk - Behaviors
Number and Percent of students who ever had sexual intercourse



School
39.9%
 559 of 1,334 students*

Region
42.4%
 1,764 of 4,163 students+

NH
39.8%
 20,575 of 51,689 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	721	48.5	-	-	28,721	47.5
2013	599	44.0	-	-	24,390	42.8
2015	529	40.6	1,928	43.9	21,662	39.4
2017	522	39.8	1,853	44.0	20,201	38.9
2019	559	39.9	1,764	42.4	20,575	39.8
Sex						
Female	267	37.1	846	40.6	9,950	40.0
Male	284	42.3	897	43.7	10,329	39.4
Grade						
09th	71	16.1	218	20.6	2,693	20.0
10th	104	31.4	370	34.7	4,208	32.2
11th	170	52.0	516	50.1	5,860	47.2
12th	209	70.3	650	65.6	7,510	61.6



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever had sexual intercourse?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2019q54; 2017q54; 2015q54; 2013q57; 2011q55;

Category: Sexual Risk - Behaviors
Number and Percent of students who had sexual intercourse for the first time before age 13 years



School
2.2%
 31 of 1,331 students*

Region
2.4%
 98 of 4,167 students+

NH
2.3%
 1,185 of 52,412 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	75	5.1	-	-	2,719	4.5
2013	69	5.0	-	-	2,287	4.0
2015	43	3.3	139	3.2	1,552	2.8
2017	37	2.8	122	2.9	1,269	2.4
2019	31	2.2	98	2.4	1,185	2.3
Sex						
Female	15	2.1	44	2.1	399	1.6
Male	15	2.3	48	2.3	726	2.7
Grade						
09th	6	1.5	28	2.7	320	2.3
10th	s	s	18	1.7	271	2.0
11th	10	3.1	28	2.7	259	2.1
12th	8	2.6	15	1.5	252	2.0




Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.



How the question was actually asked: How old were you when you had sexual intercourse for the first time?
 a: I have never had sexual intercourse; b: 11 years old or younger; c: 12 years old; d: 13 years old; e: 14 years old; f: 15 years old; g: 16 years old; h: 17 years old or older;
 Numerator: bc; denominator: abcdefgh;
 Question number: 2019q55; 2017q55; 2015q55; 2013q58; 2011q56;

Category: Sexual Risk - Behaviors
Number and Percent of students who had sexual intercourse with four or more persons during their life

School	Region	NH
8.4%	8.0%	7.2%
117 of 1,328 students*	333 of 4,158 students+	3,759 of 52,315 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	222	14.9	-	-	7,504	12.4
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	111	8.5	402	9.5	4,536	8.6
2019	117	8.4	333	8.0	3,759	7.2
Sex						
Female	65	8.9	158	7.6	1,711	6.8
Male	53	7.9	167	8.2	1,958	7.4
Grade						
09th	s	s	36	3.4	358	2.6
10th	12	3.5	42	3.9	495	3.7
11th	40	12.2	98	9.5	1,113	8.9
12th	59	20.0	153	15.5	1,692	13.7



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: During your life, with how many people have you had sexual intercourse?
 a: I have never had sexual intercourse; b: 1 person; c: 2 people; d: 3 people; e: 4 people; f: 5 people; g: 6 or more people;
 Numerator: efg; denominator: abcdefg;
 Question number: 2019q56; 2017q56; 2015q999; 2013q999; 2011q57;

Category: Sexual Risk - Behaviors
 Number and Percent of students who were currently sexually active (had sexual intercourse with at least one person) during the past 3 months



School
 30.3%
 425 of 1,331 students*

Region
 32.5%
 1,349 of 4,146 students+

NH
 29.7%
 15,500 of 52,191 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	549	36.9	-	-	22,448	37.1
2013	501	36.8	-	-	20,017	35.2
2015	429	33.0	1,611	36.7	17,380	31.3
2017	399	30.4	1,479	35.2	15,713	29.8
2019	425	30.3	1,349	32.5	15,500	29.7
Sex						
Female	214	29.6	653	31.5	7,820	31.1
Male	206	30.8	684	33.5	7,467	28.2
Grade						
09th	40	9.1	165	15.9	1,811	13.3
10th	75	22.4	247	23.2	3,116	23.6
11th	136	41.7	410	39.7	4,455	35.5
12th	171	57.6	521	52.9	5,891	47.8




Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.



How the question was actually asked: During the past 3 months, with how many people did you have sexual intercourse?
 a: I have never had sexual intercourse; b: I have had sexual intercourse, but not during the past 3 months; c: 1 person; d: 2 people; e: 3 people; f: 4 people; g: 5 people; h: 6 or more people;
 Numerator: cdefgh; denominator: abcdefgh;
 Question number: 2019q57; 2017q57; 2015q56; 2013q59; 2011q58;

Category: Sexual Risk - Behaviors
 Number and Percent of students who drank alcohol or used drugs before last sexual intercourse
 (among students who were currently sexually active)

School	Region	NH
2.2%	20.0%	19.6%
11 of 445 students*	269 of 1,347 students+	3,028 of 15,487 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	169	23.3	-	-	5,081	22.7
2013	136	22.6	-	-	4,140	20.7
2015	108	20.4	324	20.1	3,277	18.9
2017	71	13.6	237	16.0	2,927	18.7
2019	11	2.2	269	20.0	3,028	19.6
Sex						
Female	s	s	125	19.2	1,373	17.6
Male	7	2.7	135	19.8	1,581	21.2
Grade						
09th	0	0.0	31	19.1	356	19.7
10th	0	0.0	41	16.6	505	16.2
11th	s	s	96	23.3	892	20.1
12th	s	s	96	18.4	1,205	20.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.


How the question was actually asked: Did you drink alcohol or use drugs before you had sexual intercourse the last time?
 a: I have never had sexual intercourse; b: Yes; c: No;
 Numerator: b; denominator: bc;
 Question number: 2019q58; 2017q58; 2015q57; 2013q60; 2011q59;

Category: Sexual Risk - Behaviors
 Number and Percent of students who used a condom during last sexual intercourse (among students who were currently sexually active)

School
 60.1%
 335 of 527 students*

Region
 52.2%
 695 of 1,333 students+



NH
 55.3%
 8,450 of 15,284 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	478	66.5	-	-	13,490	60.8
2013	372	62.4	-	-	10,905	55.2
2015	317	60.1	914	57.5	10,377	60.2
2017	311	59.8	804	54.4	9,290	59.5
2019	335	60.1	695	52.2	8,450	55.3

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	159	59.4	322	49.7	3,974	51.4
Male	173	61.5	369	54.7	4,382	59.5

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	49	70.4	77	48.0	1,058	60.4
10th	77	75.0	141	57.5	1,848	60.1
11th	90	53.0	208	50.7	2,481	56.6
12th	115	55.3	266	51.8	2,956	50.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: The last time you had sexual intercourse, did you or your partner use a condom?

a: I have never had sexual intercourse; b: Yes; c: No;

Numerator: b; denominator: bc;


Question number: 2019q59; 2017q59; 2015q58; 2013q61; 2011q60;

Category: Sexual Risk - Behaviors
 Number and Percent of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)



School
 31.6%
 171 of 503 students*

Region
 32.0%
 414 of 1,293 students+

NH
 33.2%
 4,932 of 14,873 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	193	27.4	-	-	6,889	32.4
2013	155	26.1	-	-	6,555	34.4
2015	137	26.7	452	29.9	5,404	32.7
2017	155	30.5	491	34.9	4,591	30.4
2019	171	31.6	414	32.0	4,932	33.2
Sex						
Female	83	32.3	206	32.8	2,924	38.6
Male	88	31.9	205	31.4	1,955	27.5
Grade						
09th	20	30.0	52	32.7	423	25.2
10th	24	23.4	69	28.9	913	30.4
11th	50	29.9	116	28.8	1,387	32.5
12th	78	38.6	176	36.2	2,177	38.1



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

a: I have never had sexual intercourse; b: No method was used to prevent pregnancy; c: Birth control pills; d: Condoms; e: An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); f: A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing); g: Withdrawal or some other method; h: Not sure;

Numerator: c; denominator: bcdefgh;


Question number: 2019q60; 2017q60; 2015q59; 2013q62; 2011q61;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who purposely hurt themselves without wanting to die (one or more times) during the past 12 months

School
 22.4%
 313 of 1,390 students*

Region
 24.2%
 1,065 of 4,392 students+

NH
 19.8%
 10,818 of 54,541 students+



	School*		Region		NH	
	#	%	#	%	#	%
Year						
2011	-	-	-	-	-	-
2013	281	20.6	-	-	10,580	17.9
2015	258	19.8	941	20.8	10,565	18.5
2017	235	17.9	816	18.6	9,412	17.1
2019	313	22.4	1,065	24.2	10,818	19.8
Sex						
Female	212	29.6	703	32.7	7,096	27.3
Male	99	14.6	340	15.5	3,515	12.6
Grade						
09th	111	25.7	314	28.0	3,049	21.5
10th	80	24.2	291	26.1	2,790	20.2
11th	65	20.3	258	23.7	2,628	20.0
12th	53	17.3	196	18.8	2,147	16.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?

a: 0 times; b: 1 time; c: 2 or 3 times; d: 4 or 5 times; e: 6 or more times;

Numerator: bcde; denominator: abcde;




Question number: 2019q29; 2017q28; 2015q25; 2013q24; 2011q999;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who ever felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities) during the past 12 months

School
33.5%
 469 of 1,388 students*

Region
35.1%
 1,537 of 4,376 students+

NH
33.6%
 18,316 of 54,496 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	350	23.5	-	-	15,692	25.2
2013	357	26.3	-	-	14,996	25.4
2015	362	27.8	1,269	28.0	15,578	27.2
2017	390	29.7	1,338	30.5	15,457	28.0
2019	469	33.5	1,537	35.1	18,316	33.6

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	312	43.8	1,004	46.8	11,406	43.9
Male	153	22.6	515	23.4	6,641	23.8

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	131	30.5	405	36.5	4,281	30.2
10th	114	34.2	375	33.6	4,765	34.5
11th	112	34.9	393	36.3	4,680	35.7
12th	106	34.7	352	33.8	4,319	33.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

a: Yes; b: No;

Numerator: a; denominator: ab;


Question number: 2019q30; 2017q29; 2015q26; 2013q25; 2011q23;

Category: Suicide, Sadness and Helplessness
Number and Percent of students who ever seriously considered attempting suicide during the past 12 months

School
22.5%
 315 of 1,385 students*

Region
22.4%
 975 of 4,361 students+



NH
18.4%
 9,872 of 53,524 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	230	15.5	-	-	8,892	14.3
2013	224	16.5	-	-	8,430	14.4
2015	247	19.0	885	19.6	8,666	15.3
2017	274	20.9	880	20.1	8,748	16.1
2019	315	22.5	975	22.4	9,872	18.4

Sex	School*		Region		NH	
	#	%	#	%	#	%
Female	198	27.6	567	26.6	5,735	22.5
Male	113	16.7	386	17.6	3,944	14.4

Grade	School*		Region		NH	
	#	%	#	%	#	%
09th	100	23.3	289	26.2	2,652	19.1
10th	77	23.0	239	21.5	2,514	18.5
11th	69	21.5	255	23.7	2,456	19.1
12th	64	21.0	184	17.8	2,070	16.5



Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever seriously consider attempting suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;




Question number: 2019q31; 2017q30; 2015q27; 2013q26; 2011q24;

Category: Suicide, Sadness and Helplessness
 Number and Percent of students who made a plan about how they would attempt suicide during the past 12 months

School
 16.5%
 231 of 1,384 students*

Region
 17.2%
 749 of 4,367 students+

NH
 13.3%
 7,237 of 54,318 students+



Year	School*		Region		NH	
	#	%	#	%	#	%
2011	189	12.7	-	-	6,856	11.0
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	-	-	-	-	-	-
2019	231	16.5	749	17.2	7,237	13.3
Sex						
Female	146	20.5	452	21.1	4,316	16.7
Male	83	12.3	282	12.9	2,771	10.0
Grade						
09th	76	17.5	226	20.5	1,902	13.5
10th	62	18.7	191	17.2	1,952	14.2
11th	53	16.6	205	19.0	1,759	13.5
12th	37	12.1	120	11.5	1,471	11.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.
 +: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.
 s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 50 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you make a plan about how you would attempt suicide?

a: Yes; b: No;

Numerator: a; denominator: ab;

Question number: 2019q32; 2017q999; 2015q999; 2013q999; 2011q25;